

# SAFETY DATA SHEET

4/28/2015

MATERIAL NAME: DR. PH. MARTIN'S BLEED PROOF WHITE

## SECTION I - IDENTIFICATION

### Material Name

DR. PH. MARTIN'S BLEED PROOF WHITE

### Product Number

302

### Manufacturer Information

Salis International, Inc.  
301 Commercial Road  
Suite H  
Golden, Colorado 80401  
Phone: 303-384-3588  
Fax: 303-384-0030  
Email: docmar9@mac.com

Emergency Phone Number: 954-501-3136MOB

Poison Control Center: 1-888-516-2502

## SECTION II - HAZARDS IDENTIFICATION

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Serious Eye Damage - Category 1

Hazardous to the Aquatic Environment - Acute - Category 1

Hazardous to the Aquatic Environment - Chronic - Category 1

### GHS Label Elements

#### Symbol(s)



#### Signal Word(s)

Danger

#### Hazard Statement(s)

Causes serious eye damage

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

#### Precautionary Statement(s)

#### Prevention

Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

Collect spillage. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### SECTION III - COMPOSITION / INFORMATION ON INGREDIENTS

<b>Ingredient</b>	<b>CAS #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
ZINC SULFATE	7733-02-0	N/A	18.20000	N	N

### SECTION IV - FIRST AID MEASURES

FIRST AID MEASURES: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If swallowed, get prompt medical attention.

### SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A  
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE  
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED  
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE  
AUTOIGNITION TEMPERATURE: N/A

### SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

### SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

### SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: When spray painting, use NIOSH-certified mask for dusts or mists.  
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
WORK/HYGIENE PRACTICES: Keep away from eyes. Avoid ingestion.  
ENGINEERING CONTROLS: **KEEP OUT OF REACH OF CHILDREN.**

### SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A  
VAPOR PRESSURE: N/A  
SPECIFIC VAPOR DENSITY (AIR=1): N/A  
MELTING POINT: N/A  
SPECIFIC GRAVITY: N/A

SOLUBILITY IN WATER: N/A

REACTIVITY IN WATER: NON-REACTIVE

## **SECTION X - STABILITY AND REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: NONE  
STABILITY: STABLE CONDITIONS TO AVOID: NONE  
INCOMPATIBILITY (MATERIALS TO AVOID): NONE  
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

## **SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: EYE IRRITANT. MAY BE HARMFUL IF SWALLOWED.  
CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES.  
The summated LD50 is >50000 mg/kg.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## **SECTION XII - ECOLOGICAL INFORMATION**

### **Aquatic Hazard Statement(s)**

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

## **SECTION XIII - DISPOSAL CONSIDERATIONS**

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## **SECTION XIV - TRANSPORTATION INFORMATION**

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## **SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200  
EPA SARA TITLE III CHEMICAL LISTINGS  
NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
GUM ARABIC  
ZINC SULFATE

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
GUM ARABIC  
PIGMENT WHITE 6

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
NONE

Under CPSC's consumer product regulations (16CFR1500.3 and 1500.14), this product has the following required acute and chronic hazard labeling:

**WARNING: MAY BE HARMFUL IF SWALLOWED. EYE IRRITANT.**  
**Contains: ZINC SULFATE**

PRECAUTIONS: Keep away from eyes. Avoid ingestion. **KEEP OUT OF REACH OF CHILDREN.**  
FIRST AID TREATMENT: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If swallowed, get prompt medical attention.

For acutely hazardous products, the name and place of business of the manufacturer, packer, distributor or seller must appear on the label. A US telephone # to obtain more information is recommended but not required.

## **SECTION XVI - OTHER INFORMATION**

**LAST REVISION DATE: 04/12/2015**

**Prepared by Duke OEM Toxicology**

## BRAND NAMES

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

<b>Brand Name</b>	<b>SKU</b>
BLEED PROOF WHITE	